

SPA DRAINING & STARTUP

DRAINING

1. TURN OFF SWITCH @ BREAKER BOX (ON WALL OUTSIDE BY SPA)
2. DRAIN WITH HOSE
3. WIPE OFF THE ENTIRE INSIDE SO THERE ARE NO WATER SPOTS
4. LOCK COVER
5. CAN "SHINE UP" TUB SURFACE WITH LIQUID TORTLE WAX (CAR WAX)

NOTE: IF DRAINING IN WINTER WHEN IT COULD FREEZE, THERE ARE TWO "INTERNAL" DRAIN PLUGS THAT NEED TO BE DRAINED - CHECK WITH POOL TECH RE WHERE THESE ARE

START UP

1. TURN ON SWITCH @ BREAKER BOX (ON WALL OUTSIDE BY SPA) ^{- ONLY AFTER FILLED WITH WATER}
1. 2. FILL WITH HOSE - NOTE IMPORTANT → RUN THE WATER INTO / THRU THE SKINNER SO WATER GETS RUN INTO ALL LINES
3. TURN ON MOTOR & PUMP
2. 3. CHECK ALL CHEMICAL LEVELS

415 S.Valley Dr.
Las Cruces,NM 88005
Phone:(505) 524-4633
Fax:(505) 647-3373

415 S.Valley Dr.
Las Cruces,NM 88005
Phone:(505) 524-4633
Fax:(505) 647-3373

CITY

00 1298

NAME	DATE OF ORDER
ORDER TAKEN BY	CUSTOMER ORDER NUMBER
☐ DAY WORK ☐ CONTRACT ☐ EXTRA	
JOB NAME NUMBER 523-7035	
JOB LOCATION	
JOB PHONE	STARTING DATE

[illegible]

WORK ORDERED BY _____

SIGNATURE _____

Thank You

TAX	897
TOTAL	13493

MONARCH™

Silver Cartridge

SPA MAINTENANCE & SANITATION SCHEDULE

- A. Every 4 months you should drain and refill your spa.
- B. Follow the silver sanitation schedule below. To ensure the efficiency of your Monarch silver cartridge, please be sure to follow these guidelines (check the spa Owner's Manual for the water capacity of your spa).
- NOTE:** A small dose of chlorine (sodium dichlor) must be added each time you drain and refill your spa.

Monarch Silver Water Treatment Schedule

WHEN	WHAT TO DO
Start-up or refill	Follow the spa Owner's Manual for correct start-up procedures.
Before each use	Add MPS (monopersulfate) ⁽¹⁾ to spa (1 Tbsp. of MPS per 250 gallons) Or add chlorine (sodium dichlor) to spa (1/2 teaspoon per 250 gallons).
Once every week	Add MPS to spa (3 Tbsp. per 250 gallons). Or add chlorine to spa (1-1/2 teaspoon per 250 gallons).
Once every four months	Drain and refill your spa. Replace the Monarch silver cartridge and add chlorine to spa (1-1/2 teaspoons per 250 gallons).
As needed ⁽²⁾	Add MPS to spa (3 Tbsp. of MPS to spa per 250 gallons). Or add chlorine to spa (1-1/2 teaspoons chlorine per 250 gallons).

Sanitation Note:

- (1) MPS is a fast-acting oxidizer that attacks cell walls and activates the silver ions, which allows them to do their job quickly and effectively.
- (2) If you have missed an MPS treatment (either before use or weekly shock), or if the water is cloudy, hazy, or has an odor, add chlorine to the spa (1-1/2 teaspoons of chlorine per 250 gallons) instead of MPS. (1 teaspoon chlorine = 2 tablespoons MPS)

The use of a Monarch CD ozone system, or Pure Water system ozone generator, is recommended with the Monarch silver cartridge.



FRESHWATER_{Ag⁺} Continuous Silver Ion Purifier

The FreshWater_{Ag⁺} continuous silver ion purifier is not to be used with products containing bromine, sodium bromide, or biguanides. In addition, Watkins Manufacturing recommends the use of the FreshStartTM_{10,000} pre-filter every time you fill your spa. The FreshStart_{10,000} pre-filter filters out rust, dirt, detergents, algae and chemicals from the water.

Installation Instructions

1. Unlock the cover locks and fold the cover back.
2. Carefully remove and set aside the filter compartment cover.
3. Remove any floating items within the filter compartment.
4. Drain the spa according to the procedure recommended in the Owner's Manual.

CAUTION: Bromine, sodium bromide and biguanides should not be used with the FreshWater_{Ag⁺} continuous silver ion purifier. If any of these products have previously been used in the spa, it is recommended to clean the shell and filter compartment, and clean the filters with a filter cleaner before installing the FreshWater_{Ag⁺} cartridge. (See Owner's Manual for shell and filter cleaning procedures.)

5. Locate the circulation filter cap as follows:

If there is only one filter, locate the filter cap. If there are two filters, locate the filter with the silver/gray cap.

6. Remove the appropriate filter cap by turning counterclockwise, until the cap can be removed from the filter standpipe.

7. Remove the filter.

IMPORTANT NOTICE: If the spa has been used prior to this installation, clean the filter(s) to optimize the effectiveness of the FreshWater_{Ag⁺} continuous silver ion purifier. Likewise, when replacing the FreshWater_{Ag⁺} cartridge, it is an excellent time to clean the filter(s). On spas with multiple filters, the filters should be rotated at the time of cleaning. To rotate the filters, simply move the filters from one standpipe to the other. (See Owner's Manual for filter cleaning procedures.)

8. Attach the handle to the main body of the FreshWater_{Ag⁺} cartridge as shown in Figure 1.

9. Carefully insert the FreshWater_{Ag⁺} cartridge into the standpipe as shown in Figure 2.

10. Replace the filter onto the standpipe. Secure in place by tightening the filter cap onto the standpipe.

11. The FreshWater_{Ag⁺} cartridge should be replaced every 4 months. A date label is included with the FreshWater_{Ag⁺} purifier as a reminder. You should place the completed replacement date label on the underside of the filter compartment lid. To do this:

- Thoroughly dry the underside of the filter compartment lid.
- Locate the date label and peel off the week and month in which you should replace your cartridge (current date + four months).
- Affix the week and month stickers to the underside of the filter compartment lid.

12. Using the FreshStartTM_{10,000} pre-filter, fill the spa according to the procedure recommended in the Owner's Manual.

13. Balance the Total Alkalinity (TA), Calcium Hardness (CH), and pH level according to the water maintenance program included in your spa Owner's Manual.

14. With the jets on, add 1 1/2 teaspoons of chlorine per 250 gallons of water into the filter compartment.




Figure 1




Figure 2

Comfort Guard™

LIMITED WARRANTY

Utopia, Aquatic Melodies® and Paradise Series Spas

Watkins Manufacturing Corporation ("Watkins") warrants to the original consumer purchaser ("you") the following for your new Utopia, Aquatic Melodies or Paradise Series spa, when purchased from an authorized dealer/service provider ("dealer").

10 YEAR NO-LEAK SHELL WARRANTY

Watkins warrants against water loss due to defects in materials and workmanship for a period of ten years.

7 YEAR SHELL SURFACE WARRANTY

Watkins warrants the interior acrylic surface material of the Utopia, Aquatic Melodies or Paradise Series spas to be free from defects in materials and workmanship for seven years.

5 YEAR NO-LEAK PLUMBING WARRANTY

Watkins warrants Utopia, Aquatic Melodies or Paradise Series spas not to leak for a period of five years. This warranty specifically covers leaks from jet fittings, internal plumbing, internal glue joints and hoses, and all bonded parts including the filter compartment.

5 YEAR EQUIPMENT AND CONTROLS WARRANTY

Watkins warrants the electrical components, specifically the pump(s), air blower and control system, against defects in materials and workmanship for a period of five years.

Spa covers and other spa accessories are specifically excluded from this warranty, although they may be covered under other warranties. Please check with your Caldera® dealer for details.

3 YEAR ECOTECH® CABINET WARRANTY

Watkins warrants the EcoTech simulated wood cabinet material to be free from defects in materials and workmanship for a period of three years. This warranty specifically covers the cabinet's structural integrity (exclusive of surface stain), including all glue and integral bonded joints.

The EcoTech cosmetic finish is warranted to be free from defects in materials and workmanship at the time of initial delivery. Fading and weathering of the surface will naturally occur over time and are not considered defects. To restore the EcoTech cabinet's appearance, refer to the spa Owner's Manual for proper care and maintenance instructions.

5 YEAR ENERGYPRO® HEATER WARRANTY

Watkins unconditionally warrants the EnergyPro heater to be free from defects in materials and workmanship for five years. This warranty defines unconditional as warranty coverage without exception provided that the component has failed to operate properly within the spa's system.

1 YEAR AQUATIC MELODIES WARRANTY

Watkins warrants the factory-installed Aquatic Melodies system, which includes the stereo, speakers and amplifier to be free from defects in materials and workmanship for one year.

OTHER WARRANTIES

Watkins warrants the factory-installed SpaGlo® system and Monarch® CD ozone system to be free from defects in materials and workmanship for one year. Filter cartridges, cover locks, fuses and headrests are warranted to be free from defects in materials and workmanship at the time of delivery.

EXTENT OF WARRANTY

This warranty extends only to the original consumer purchaser of the Caldera spa when purchased and originally installed within the boundaries of the United States. This warranty begins on your delivery date of the spa. This warranty terminates

upon any transfer of ownership, or if the spa is installed or relocated outside the boundaries of the United States by the original consumer purchaser prior to the expiration of the warranty period.

WARRANTY PERFORMANCE

To make a claim under this warranty, contact your dealer. In the event you are unable to obtain service from the dealer, please contact Watkins Manufacturing Corporation, 1280 Park Center Drive, Vista, California, 92081, Attn: Customer Service Department (800) 669-1881 or via e-mail, custserv@watkinsmfg.com. You must give Watkins and/or your dealer written notice of any warranty claim, along with a copy of your original purchase receipt indicating the date of the purchase, within ten (10) days of the time you discover the claim. Watkins reserves the right to inspect the malfunction or defect on location.

Watkins or its Authorized Service Agent will repair any defects covered by this warranty. Except as described herein, you will not be charged for parts, labor or the freight costs for parts necessary to repair the spa for defects covered by this warranty. In some cases, the servicing dealer may charge you a reasonable repairperson travel/service charge that is not covered by this warranty. Please contact the dealer for information regarding any such charges.

LIMITATIONS

Except as described above, this warranty does not cover defects or damage due to normal wear and tear, improper installation, alteration without Watkins' prior written consent, accident, acts of God, misuse, abuse, commercial or industrial use, use of an accessory not approved by Watkins, failure to follow Watkins' Pre-Delivery Instructions or Owner's Manual, or repairs made or attempted by anyone other than an authorized representative of Watkins. Alteration includes, but is not limited to, any component or plumbing change, or electrical conversion. Visit www.calderaspas.com or contact your dealer for a list of manufacturer approved accessories.

DISCLAIMERS

TO THE EXTENT PERMITTED BY LAW, WATKINS SHALL NOT BE LIABLE FOR LOSS OF USE OF THE SPA OR OTHER INCIDENTAL OR CONSEQUENTIAL COSTS, EXPENSES, OR DAMAGES, INCLUDING BUT NOT LIMITED TO THE REMOVAL OF ANY DECK OR CUSTOM FIXTURE OR ANY COST TO REMOVE OR REINSTALL THE SPA, IF NEEDED. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations may not apply to you. ANY IMPLIED WARRANTIES, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED TO THE DURATION OF THE APPLICABLE WARRANTY STATED ABOVE. Some states do not allow limitations on how long an implied warranty may last, so the above limitations may not apply to you.

LEGAL RIGHTS

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.



1280 PARK CENTER DRIVE • VISTA, CA 92081
(800) 669-1881

L I M I T E D W A R R A N T Y

PivotPro™ COVER LIFTER

► ONE YEAR WARRANTY

Watkins Manufacturing Corporation warrants the PivotPro* to be free from defects in material and workmanship for a period of one year from its purchase date.

► EXTENT OF WARRANTY

This warranty extends only to the original consumer purchaser of the PivotPro cover lifter when purchased and originally installed within the boundaries of the United States and Canada. This warranty is not transferable.

► WARRANTY PERFORMANCE

In the event of any malfunction or defect covered under the terms of this warranty, a Factory Authorized Service Agent of Watkins Manufacturing Corporation will repair the lifter. To obtain service, contact the Factory Authorized Service Agent that sold you the lifter. There will be no charge for parts, labor, or the freight costs necessary to repair the PivotPro. In some cases, reasonable repair person travel may be assessed (by the servicing agent) if you live beyond the normal servicing area of the Factory Authorized Service Agent.

Watkins Manufacturing Corporation maintains an extensive service network in all fifty states and Canada. In the event the consumer purchaser should be unable to either obtain service, or satisfactory service, from a Factory Authorized Service Agent, notify the Customer Service Department at Watkins Manufacturing Corporation.

Written notice of any malfunction or defect must be given within ten (10) days of the time the malfunction or defect is discovered, and must be accompanied by a copy of the original consumer purchase receipt of the PivotPro which shows the date of purchase.

Notice must be given to Watkins Manufacturing Corporation, 1280 Park Center Drive, Vista, California 92083, Attn: Customer Service Manager. Watkins Manufacturing Corporation reserves the right to inspect the malfunction or defect on location.

► EXCLUSIONS

This warranty does not cover defects or damages relating to 1) failure to operate, maintain, or install the PivotPro in accordance with manufacturer's instructions, 2) abuse, accident, fire, flood, acts of nature, or other contingencies beyond the control of Watkins Manufacturing Corporation, 3) improper or unauthorized repairs, and 4) commercial or other nonresidential use.

► DISCLAIMERS

EXCEPT AS SPECIFIED HEREIN, WATKINS MANUFACTURING CORPORATION SHALL NOT BE LIABLE FOR LOSS OF USE OF THE PIVOTPRO, OR OTHER INCIDENTAL OR CONSEQUENTIAL COSTS, EXPENSES, OR DAMAGES. ANY IMPLIED WARRANTY INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE, SHALL HAVE A DURATION EQUAL TO THE DURATION OF THE APPLICABLE WARRANTY STATED ABOVE. Under no circumstances shall Watkins Manufacturing Corporation, or any of its representatives, be held liable for injury to any person, or damage to any property, however arising. Some states do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply to you. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you.

► LEGAL REMEDIES

This warranty gives you specific legal rights, and you may have other rights which vary from state to state.

► CUSTOMER SERVICE

For emergency service, contact your Factory Authorized Service Agent (selling dealer) immediately. If you do not know who your local representative is, contact the Watkins Manufacturing Corporation Customer Service Department at the address listed below, or call (800) 591-1001.



WATKINS MANUFACTURING CORPORATION
1280 Park Center Drive, Vista, California 92083

L I M I T E D WARRANTY

VINYL COVER

Watkins Manufacturing Corporation ("Watkins") warrants to the original consumer purchaser ("you") the following about your new Utopia, Aquatic Melodies or Paradise Series spa vinyl cover, when purchased from an authorized dealer/service provider ("dealer").

► TWO YEAR PART WARRANTY

Watkins warrants the vinyl cover that comes standard on Caldera® spas to be free from defects in materials and workmanship for a period of two years. This warranty specifically protects the original consumer purchaser from excessive damage to, or the failure of, the vinyl encasement, including the handles and straps determined to have been caused by normal usage, and damage to the foam caused by water saturation and warping. The coverlocks are not included in this warranty, but are warranted to be free from defects in materials or workmanship at the time of delivery to the original consumer purchaser. Fading of the vinyl and thread is not considered a defect, and will occur naturally due to normal chemical maintenance required for spa water.

► EXTENT OF WARRANTY

This warranty extends only to the original consumer purchaser of the vinyl cover when purchased and originally installed within the boundaries of the United States. This warranty begins on your delivery date of the spa. This warranty terminates upon any transfer of ownership, or if the spa is installed or relocated outside the boundaries of the United States by the original consumer purchaser prior to the expiration of the warranty period.

► WARRANTY PERFORMANCE

To make a claim under this warranty, contact your dealer. In the event you are unable to obtain service from the dealer, please contact Watkins Manufacturing Corporation, 1280 Park Center Drive, Vista, California, 92081, Attn: Customer Service Department (800) 669-1881 or via e-mail, custserv@watkinsmfg.com. You must give Watkins and/or your dealer written notice of any warranty claim, along with a copy of your original purchase receipt indicating the date of the purchase, within ten (10) days of the time you discover the claim. Watkins reserves the right to inspect the malfunction or defect on location.

Watkins or its Authorized Service Agent will repair any defects covered by this warranty. Except as described herein, you will

not be charged for parts, labor or the freight costs for parts necessary to repair the spa for defects covered by this warranty. In some cases, the servicing dealer may charge you a reasonable repairperson travel/service charge that is not covered by this warranty. Please contact the dealer for information regarding any such charges.

► LIMITATIONS

Except as described above, this warranty does not cover defects or damage due to normal wear and tear, improper installation, alteration without Watkins' prior written consent, accident, acts of God, misuse, abuse, commercial or industrial use, use of an accessory not approved by Watkins, failure to follow Watkins' Pre-Delivery Instructions or Owner's Manual, or repairs made or attempted by anyone other than an authorized representative of Watkins. Alteration includes, but is not limited to, any component or plumbing change, or electrical conversion. Visit www.calderaspas.com or contact your dealer for a list of manufacturer approved accessories.

► DISCLAIMERS

TO THE EXTENT PERMITTED BY LAW, WATKINS SHALL NOT BE LIABLE FOR LOSS OF USE OF THE VINYL COVER OR OTHER INCIDENTAL OR CONSEQUENTIAL COSTS, EXPENSES, OR DAMAGES. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations may not apply to you. ANY IMPLIED WARRANTIES, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED TO THE DURATION OF THE APPLICABLE WARRANTY STATED ABOVE. Some states do not allow limitations on how long an implied warranty may last, so the above limitations may not apply to you.

► LEGAL RIGHTS


This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.



WATKINS MANUFACTURING CORPORATION
1280 Park Center Drive, Vista, California 92081




PIVOTPRO™
Cover Lifter




STEP 2: ATTACHING SIDE ARMS

- A. Locate Right Side Arm Assembly and attach to the Side Hinge, using a slot screwdriver, as shown below. Notice the orientation of Right and Left Side Arm Assemblies before installing. See Detail 2-A.
- B. Repeat step A for the Left Side Arm Assembly.



STEP 3: ASSEMBLE LOWER LINKAGE

- A. Install the Rubber Bumpers into the holes provided for both the Left and Right Corner Tube Assemblies with a #10 x 3/4" Phillips Pan Head Screw. See Detail 3-B.
- B. Position the Left and Right Corner Tube Assemblies and the Connecting Tube Assembly on the floor, as shown below.
Be sure that the (2) holes in the Connecting Tube face AWAY from the spa.
- C. Slide the Corner Tube Assemblies into the Connecting Tube. Center the Connecting Tube with the center of the spa. Leave approximately 1" clearance between the sides of the spa and the Corner Tubes.



STEP 7: ADJUST THE SIDE ARM ASSEMBLY

- A. With the cover in the closed position, remove the #10 x 3/4" Phillips Pan Head Screw from each Upper Side Arm Jaw Slide (save screws for use in step B). Find the hole that fits your spa model (see chart below). Move Jaw Slides along the Side Arms until the holes in the Jaw Slides are aligned with the appropriate holes. You may need to go from side to side to adjust a little at a time. See Detail 7-A.
- B. Using the Screws from step A, secure the Jaw Slides to the Side Arms using a #2 Phillips Screwdriver. Do not overtighten screws!
- C. Open the spa cover slowly. When completely open, the cover should rest against the back edge and angled slightly towards the spa. See picture below.
- D. If the angle of the cover is not satisfactory, further adjustment can be made as follows:
- Close cover before making any adjustments.
 - Move the Jaw Slide up one hole for a more vertical position of the cover.
 - Move the Jaw Slide down one hole to angle the cover more towards the spa.

HEIGHT OF SPA

(FROM GROUND TO TOP OF SPA WITHOUT THE COVER)

29" SPA MODEL (3RD HOLE FROM TOP)

32" SPA MODEL (6TH HOLE FROM TOP)

34" SPA MODEL (8TH HOLE FROM TOP)

36" SPA MODEL (10TH HOLE FROM TOP)

38" SPA MODEL (12TH HOLE FROM TOP)





FIGURE 6

SPA VAC PARTS LIST

Installation Number	Part Number	Part Description
1	NV 501	Telescopic Pole
2	NV 502	Clear Debris Chamber
3	NV 503	OOO Ring
4	NV 504	Check Valve
5	V 208K	50 Micron Filter Replacement Kit (3 each)
6	NV 505	Complete Filter Assembly Replacement Kit (1 Screen, 1 Filter, 1 Mesh)
7	NV 506	Filter Retainer Ring
8	NV 507	Head Assembly
9	NV 508	Nozzle
10	NV 509	Pole Extension Ring
11	NV 510	Pole Attachment Ring

For replacement parts contact:
ROLA-CHEM CORPORATION • PARADISE INDUSTRIES
 5858 Centerville Road, St. Paul, MN 55127

1-800-549-4473



NEW PRODUCT LIMITED 12 MONTH WARRANTY

ROLA-CHEM CORPORATION • PARADISE INDUSTRIES, as manufacturer, warrants each Paradise Vac unit delivered to the original consumer (purchaser) to be free from defects in material and workmanship under the intended normal use as described in the Paradise Vac units assembly and operating instructions enclosed with each unit, for a period of one year from the date of purchase.

During the warranty period ROLA-CHEM CORPORATION • PARADISE INDUSTRIES agrees to repair or, at its own option, replace the unit or any part of it without charge for labor or parts. The Paradise Vac unit must be returned to ROLA-CHEM CORPORATION • PARADISE INDUSTRIES transportation prepaid together with a letter of explanation and proof of purchase. This is your exclusive remedy.

This warranty shall not apply if the unit is subjected to misuse, neglect or accident. For more information of this warranty, please contact: Rola-Chem Corporation • Paradise Industries, 5858 Centerville Rd., St. Paul, MN 55127.

REGISTRATION CARD

(PLEASE PRINT)

NAME _____

ADDRESS _____

CITY _____ STATE _____ ZIP _____

TELEPHONE NO. (_____) _____

DATE OF PURCHASE _____

PLACE OF PURCHASE _____

COMMENTS _____

DO YOU OWN (Check one or more): ☐ POOL ☐ SPA ☐ POND ☐ FISH AQUARIUM



IMPORTANT! READ THESE INSTRUCTIONS COMPLETELY BEFORE CONNECTING ELECTRICAL SERVICE TO SPA! INCORRECT WIRING OF THE TERMINAL BLOCK OR SUBPANEL GFCI BREAKERS MAY RESULT IN DAMAGE TO THE CONTROL BOX WHICH IS NOT COVERED BY WARRANTY.

WATKINS MANUFACTURING CORPORATION

**Instructions for Electrical Connections
230 Volt, 60 Hz PERMANENTLY CONNECTED Models
Effective 2002-Current Model Year**

**SUBPANEL / GFCI BREAKER INSTALLATION INSTRUCTION
GFCI Subpanel; Watkins part number 39780**

Two GFCI Breakers are contained in the subpanel.

SPA SYSTEM RATING:

- 230 Vac, 50 A, 60 Hz.

GFCI BREAKER RATING:

- 230 Vac, 20 A, 2 Pole
- 230 Vac, 30 A, 2 Pole



WARNING!



Failure to follow these directions correctly will result in irreversible damage to the control box.

Damage caused by incorrect wiring, faulty conversion, or improper jumper setting will not be covered by the warranty.

WARNING! REMOVING OR BYPASSING THE GFCI BREAKERS IN THE SUB-PANEL AT ANY TIME WILL RESULT IN AN UNSAFE SPA AND WILL VOID THE WARRANTY.

Page No. 1 of 1 Pages

PROPOSAL SUBMITTED TO	PHONE	DATE
[REDACTED]	[REDACTED]	3-8-05
	JOB NAME	
CITY, STATE AND ZIP CODE	JOB LOCATION	
LAS CRUCES, NM		
SERIAL #	DATE OF INSTALL	COLORS
		REDWOOD / PEARL
		JOB PHONE

We hereby propose to furnish materials and labor necessary for the completion of:

MARTINIQUE SPA
RECOVERY
SPA COVER
STARTUP & KIT
PIVOT PRO
280 VOLT PANEL

6300
SPA GLO 199
STEP 4 GLO 150

SUB 6649.43
TAX 465

AL COWAN AC ELECTRIC

642-7118

7114.43

WE PROPOSE hereby to furnish material and labor – complete in accordance with above specifications, for the sum of:

dollars (\$ 7114.43)

Payment to be made as follows:

\$ 3500 DOWN

BAL ON DELIVERY 3614.43

All material is guaranteed to be as specified. All work to be completed in a substantial workmanlike manner according to specifications submitted, per standard practices. Any alteration or deviation from above specifications involving extra costs will be executed only upon written orders, and will become an extra charge over and above the estimate. All agreements contingent upon strikes, accidents or delays beyond our control. Owner to carry fire, tornado and other necessary insurance. Our workers are fully covered by Workmen's Compensation insurance.

Authorized
Signature

Note: This proposal may be
withdrawn by us if not accepted within _____ days.

ACCEPTANCE OF PROPOSAL The above prices, specifications and conditions are satisfactory and are hereby accepted. You are authorized to do the work as specified. Payment will be made as outlined above.

Signature

Date of Acceptance: March 8, 2005

Signature

Pool Tech Plus
PO Box 1319
Fairacres, NM 88033

Statement

Date
3/31/2005

To:

				Amount Due	Amount Enc.
				\$3,614.43	
Date	Transaction			Amount	Balance
03/08/2005	INV #pro932. Orig. Amount \$7,114.43.			3,614.43	3,614.43
PAID CHQ NO 1609 DATE 4-5-05					
CURRENT	1-30 DAYS PAST DUE	31-60 DAYS PAST DUE	61-90 DAYS PAST DUE	OVER 90 DAYS PAST DUE	Amount Due
3,614.43	0.00	0.00	0.00	0.00	\$3,614.43



NM #52620

Electrician:


Al Cowan

Time and Material Work Sheet

Date

3/30/05

Customer Name:



Phone Number:

Customer Address:

Zip Code:

Customer E-Mail Address:

Project Description:

_____ Ft. of 3/4 inch EMT conduit @ 64.43/100 Ft. = _____

_____ Ft. of 1 inch EMT conduit @ 119.52/100 Ft. = _____

_____ Ft. of 3/4 inch PVC conduit @ 22.50/100 Ft. = _____

_____ Ft. of 1 inch PVC conduit @ 26.26/100 Ft. = _____

_____ Ft. of 3/4 inch Sealtite conduit @ 45.76/100 Ft. = _____

_____ Ft. of #6 Copper THHN Wire @ 261.91/1000 Ft. = _____

_____ Ft. of #8 Copper THHN Wire @ 176.01/1000 Ft. = _____

_____ Sealtite Connectors @ 5.44 ea = 10.88

_____ EMT conduit connectors @ .49 ea = _____

_____ LB fittings @ 7.48 ea = _____

_____ Standard Circuit Breakers @ 9.55 ea = _____

_____ In use Cover @ 14.39 ea = _____

_____ GFCI Outlet @ 12.73 ea = _____

Special Parts Wire = 7.00

Misc. Parts _____ = _____

Cost of Material used: \$ 17.88 X 1.4 = \$ 25.00

Start: 10:00 Finished Job: 11:30 Total Time (Includes Travel): 1.5

Number of Electricians on site: _____ Total Man Hours: _____

Time for this Work Sheet: 3 X \$65.00 = \$ 150.00

Project Total

Total Time and Material \$ 175.00 X .065 = \$ _____ NM Sales Tax

Total Due with Sales Tax \$ _____

Paid \$ 175. for the work and material listed above.

CK# 1604

Electrician's Signature:

Al Cowan

Thank You

AC Electric, NM # 52620

Al Cowan, 505-642-7118

(505) 524-4633

Fax (505) 647-3373

BRIAN

Jay Jarden • OWNER

415 S. Valley Drive • Las Cruces

Email: pooltech@zianet.com

www.pooltechplus.com



Please take the time to read this booklet carefully, as it will provide you with the information you will need to ensure the safe, secure, and timely installation of your new spa. The following sections are guidelines on how to prepare for delivery and set-up of your new spa. Specifically covered are site selection, delivery access, ground preparation, and electrical requirements.

Remember to carefully read the Owner's Manual that accompanies your spa and to complete the warranty card within ten days of delivery. These items, along with other valuable information, included in the Owner's Package which can be located in the equipment compartment of your spa. You will also find your serial number, in the equipment compartment.

Watkins Manufacturing Corporation reserves the right to change features, specifications and design without notification and without incurring any obligation.

DATE PURCHASED: _____

DATE INSTALLED: _____

DEALER: _____

ADDRESS: _____

TELEPHONE: _____

In most cities and counties, permits will be required for the installation of electrical circuits or the construction of exterior surfaces (decks and spa enclosures). In addition, some communities have adopted residential barrier codes which may require fencing and/or self-closing gates on the property to prevent unsupervised access to a pool (or spa) by children under 5 years of age. Your Caldera® spa is equipped with a locking cover that meets the ASTM F1346-91 Standard for Safety Covers and as a result, is usually exempt from most barrier requirements. As a general practice, your local Building Department will inform you of any applicable barrier requirements at the time a permit is obtained for the installation of an electrical circuit. Your Caldera dealer can provide information on which permits may be required.



 **CalderaSpas**
Pure Comfort